

FIG. 1 is a schematic diagram of a system for monitoring and controlling a process.




Fig. 1




Fig. 2

20 →




Fig. 3




Fig. 4

any and all rights in and to the software are reserved by the inventor.

245




Fig. 5

246





Fig. 6



Email	261	Email Messages	271
Linked Knowledge	262	Linked Articles	272
Visual Database	263	Database Objects	273
Files and Illustrations	264	Files and Illustration Objects	274
Address Book	265	Address Book Records	275
Calendar	266	Calendar Records	276
Remote Control	267	Remote Control Scenarios	277
Conferencing (Chat)	268	Conferencing (Chat) Sessions	278
Task Manager	269	Task Management Forms	279
Services 260		Multiple Object Types 270	

Fig. 7

Fig. 8


Internal Access Levels	340
External Access Levels	350
Internal Usage Values	360
External Usage Values	370
Internal Security Type	380
External Security Type	390

330

Usage Values		
Usage Summary	Bookmarks	New Usage Indicators
		Trash Flags



Fig. 9




610 

Fig. 10

Operations On Services		Operations on Multiple Object Types	
		Email	Task Manager
Open	500	501	509
New	510	511	519
Change	520	.	.
Remove	530	.	.
Bookmark	540	.	.
Show Favorites	550		
Show Trash	560		
Show News	570	.	.
Show History	580	.	.
Check/Set Access	590	591	599

Fig. 11

700





Fig. 12






Fig. 13




Fig. 14

Fig. 15

Reconfigure Default Organization Fields

X

Level 1:

Project

Level 1:

RemoteAdmin

Level 3:

Level 4:

Notification

Add Item:

Save

Cancel

Empty fields will be removed from the structure

Warning: Applet Window

Fig. 16

Reconfigure Default Organization Fields			X
Field 1:	<input type="text" value="What"/>	Level 2:	<input type="text" value="Where"/>
Field 3:	<input type="text" value="When"/>	Add Item:	<input type="text"/>
Empty fields will be removed from the structure			
<input type="button" value="Save"/>		<input type="button" value="Reset all Organization(s)&lt;br/&gt;To the Default"/>	
<input type="button" value="Cancel"/>			
Warning: Applet Window			



Fig. 17(a)

Ipserve_development Project User=Jzhuk Privileges=ReadOnly	
<div> <div>File ViewPoint Privileges Show Options Help</div> <div> <div>Remote Admin</div> <div>3</div> <div> <div>Oracle Database</div> <div>1</div> <div>Select total</div> </div> <div>Jini Printer</div> <div>Web Phone</div> </div> </div>	
System Type	Oracle Database
Action Language	SQL
(User) Name	visuData
Password	ITSchool
Connection String	Jdbc:oracle:thin:@IPServe.com
Description:	
Setup Remote Connection	
<div> <div>Record Fields</div> <div>Delete</div> <div>Add Action</div> <div>Done</div> </div>	
EDIT/DELETE selected RemoteAdmin icon=null or add more to it	

Fig. 17(b)







Ipserve_development Project User=Jzhuk Privileges=ReadOnly	
File ViewPoint Privileges Show Options Help	
 Remote Admin  3  Oracle Database  Select Total  Jini Printer  Web Phone	<div> <div>Action Statement</div> <div>SQL</div> </div> <div> <div>Action Name</div> <div>select</div> </div> <div> <div>Interval or Condition</div> <div>20 min</div> </div> <div> <div>Description:</div> <div>Check total db size every 20 min</div> </div> <div> <div>Record Fields</div> <div>Delete</div> <div>Add Notification</div> </div> <div> <div>Done</div> </div>
EDIT/DELETE selected Action icon=null or add more to it	

Fig. 17(c)


Ipserve_development Project User=Jzhuk Privileges=ReadOnly	
File ViewPoint Privileges Show Options Help	
	
Name	Notify if oversized
Interval or Condition	If size > 64000000
TO (email address)	Jzhuk@JavaSchool.com
From (Name)	PizzaHot Oracle DB Admin
From (email address)	readmin@IPServe.com
Subject	PizzaHot DB size is over
Description:	
Db total size is over 64000000 mb	
Remote Admin@PizzaHot	
<input type="button" value="Record Fields"/> <input type="button" value="Delete"/> <input type="button" value="Done"/>	
EDIT/DELETE selected Notification icon=null or add more to it	

Fig. 17(d)








Ipserve_development Project User=Jzhuk Privileges=ReadOnly	
File ViewPoint Privileges Show Options Help	
 Remote Admin 3	System Type Oracle Database
 Oracle Database 1	Action Language SQL
 Select Total siz 1	(User) Name visuData
 Notify if oversized	Password ITSchool
 News Update 1	Connection String Jdbc:oracle:thin:@IPServe.com
 Broadcast	Description:
 Jini Printer	Jini enabled printer Work status
	<a href="#">Record Fields</a> <a href="#">Delete</a> <a href="#">Add Action</a>
	<a href="#">Done</a>

Fig. 18

**Distributed Processing: Conditional Notification**  
**Cell phone request for human interaction**

